



**Roof Insulations  
Fastener Placement**

*4 x 8 Ft. (1.22 x 2.44 m) Boards*

Fastener Rate and Placement with Prescriptive Enhancements for Perimeter and Corners (Meets Requirements of FM Global Loss Prevention Data Sheet 1-29 for  $\leq$  Class 1-75 systems.)








<b>24</b> Fasteners/Bd. Field	<b>1 Fastener per 1.33 Sq. Ft.</b> <b>36</b> Fasteners/Bd. Perimeter	<b>42</b> Fasteners/Bd. Corner
<b>22</b> Fasteners/Bd. Field	<b>1 Fastener per 1.45 Sq. Ft.</b> <b>33</b> Fasteners/Bd. Perimeter	<b>39</b> Fasteners/Bd. Corner
<b>16</b> Fasteners/Bd. Field	<b>1 Fastener per 2 Sq. Ft.</b> <b>24</b> Fasteners/Bd. Perimeter	<b>32</b> Fasteners/Bd. Corner
<b>12</b> Fasteners/Bd. Field	<b>1 Fastener per 2.67 Sq. Ft.</b> <b>18</b> Fasteners/Bd. Perimeter	<b>32</b> Fasteners/Bd. Corner
<b>11</b> Fasteners/Bd. Field	<b>1 Fastener per 2.9 Sq. Ft.</b> <b>18</b> Fasteners/Bd. Perimeter	<b>32</b> Fasteners/Bd. Corner
<b>10</b> Fasteners/Bd. Field	<b>1 Fastener per 3.2 Sq. Ft.</b> <b>16</b> Fasteners/Bd. Perimeter	<b>32</b> Fasteners/Bd. Corner
<b>8</b> Fasteners/Bd. Field	<b>1 Fastener per 4 Sq. Ft.</b> <b>16</b> Fasteners/Bd. Perimeter	<b>32</b> Fasteners/Bd. Corner
<b>6</b> Fasteners/Bd. Field	<b>1 Fastener per 5.33 Sq. Ft.</b> <b>16</b> Fasteners/Bd. Perimeter	<b>32</b> Fasteners/Bd. Corner



**Johns Manville**

**Roof Insulations  
Fastener Placement**

4 x 8 Ft. (1.22 x 2.44 m) Boards











**Johns Manville**

**Roof Insulations  
Fastener Placement**

4 x 8 Ft. (1.22 x 2.44 m) Boards - Continued





**Johns Manville**

**Roof Insulations  
Fastener Placement**

*4 x 8 Ft. (1.22 x 2.44 m) Boards - Continued*

